

Type of application
On- and Off-Road



Tyre brand



Distributed by



Name of the tyre design

GT01

Position of the tyre

All position



Product description

Excellent traction and maneuverability

▷ *Combination of rib and lug pattern*

High resistance to cutting and tearing

▷ *Special cut and chip compound*

Long tread life

▷ *Tread compound*



TIRE REFERENCE CHART

GT01	Tyre size	Single tyre		Dual tyre		Speed rating	km/h	Ply rating	Tread depth (mm)
		Load index	Max load	Load index	Max load				
	9.00 R20	144	2800	142	2650	K	110	16PR	15
	10.00 R20	146	3000	143	2725	K	110	16PR	16

Type of application
On- and Off-Road



Name of the tyre design
GT 876

Position of the tyre
All position



Product description

Strong shoulder design: Protect sidewall and minimize impact damage

Long life tyre

▷ *Cutting resistance design*

Excellent drive force

Reduction of noise

▷ *Central independent block with semi-open-shoulder*



TIRE REFERENCE CHART

GT 876 TL	Tyre size	Single tyre		Dual tyre		Speed rating	km/h	Ply rating	Tread depth (mm)
		Load index	Max load	Load index	Max load				
	385/65 R22.5	158	4250	160	4500	L/K	120/130	18PR	17.9
	445/65 R22.5	169	5800	169	5800	K	130	20PR	18.4
	425/65 R22.5	165	5150	165	5150	K	130	20PR	18.4

Type of application
On- and Off-Road



Tyre brand



Distributed by



Name of the tyre design

GT 886

Position of the tyre

All position



Product description

Optimized stress distribution on road-contacted area

▷ *Special pattern design on shoulder*

High tyre abrasion performance

▷ *Variable angle on groove edge*

Long life tyre

▷ *Wide tread design*



TIRE REFERENCE CHART

GT 886	Tyre size	Single tyre		Dual tyre		Speed rating	km/h	Ply rating	Tread depth (mm)
		Load index	Max load	Load index	Max load				
	8.25 R20	135	2180	131	1950	M	130	14PR	15

Type of application
On- and Off-Road



Tyre brand



Distributed by



Name of the tyre design

GAM 831

Position of the tyre

All position



Product description

- Excellent traction
- Excellent braking
- Excellent protection
- Very comfortable drive

▷ *Solid shoulder with combined rib and lug design in centre of tyre*



TIRE REFERENCE CHART

GAM 831 TL	Tyre size	Single tyre		Dual tyre		Speed rating	km/h	Ply rating	Tread depth (mm)
		Load index	Max load	Load index	Max load				
	295/80 R22.5	152	3550	148	3150	M	130	16PR	17.5

Type of application
On- and Off-Road



Tyre brand



Distributed by



Name of the tyre design

GT 686

Position of the tyre

Dirve position



Product description

Long life tyre

▷ *Wide tread, deep groove and special compound*

Good traction performance

▷ *Big block and widen lug groove*

Good self-clean performance

▷ *Directional and gradually open lug pattern*



TIRE REFERENCE CHART

GT 686 TL	Tyre size	Single tyre		Dual tyre		Speed rating	km/h	Ply rating	Tread depth (mm)
		Load index	Max load	Load index	Max load				
	295/80 R22.5	152	3550	149	3250	K	110	18PR	22.6
	12 R22.5	152	3550	148	3150	K	110	16PR	23.1